

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	14	interchang\$6 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:49
L15	22	(touchscreen touch near2 (screen display)) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:48
L14	6	(touchscreen touch near2 (screen display)) and add\$3 and remov\$3 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:09
L13	5	touch near2 (screen display) and add\$3 and remov\$3 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:06
L12	51	touch and add\$3 and remov\$3 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
L10	54	dynamic\$4 and add\$3 and remov\$3 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:05
L11	0	dynamic\$4 same (add\$3 and remov\$3) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:16

L9	0	(dynamic\$4 with (add\$3 and remov\$3)) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:16
L8	0	(dynamic\$4 near2 (add\$3 and remov\$3)) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
L7	0	dynamic\$4 near2 (add\$3 and remov\$3) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:15
L6	7	(add\$3 same remov\$3) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:14
L5	56	(add\$3 and remov\$3) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:09
L4	67	(add\$3 remov\$3) and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:09
S43	80	server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 14:08
S66	0	"719"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:21

S65	6	"705"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:21
S64	65	server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:21
S63	1	"715"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:21
S62	0	715/965-970.ccls. and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:20
S61	1	"713"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:20
S60	1	713/200-202.ccls. and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:19
S59	9	"710"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:19
S58	0	710/240 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13
S57	0	710/200 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13

S56	0	710/40 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13
S55	0	710/37 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13
S54	0	710/36 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13
S53	0	710/16 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:13
S52	0	"700"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:12
S51	0	700/83 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:12
S50	9	"709"/\$ and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:12
S49	0	709/229 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:12

S48	1	709/225 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:12
S47	0	709/219 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:11
S46	5	709/203 and server same client same database and port with reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:11
S45	7	709/203 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:04
S44	0	700/83 and server same client same database and port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:01
S42	0	server same client same database same port same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:00
S41	16	server same client same database same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:00
S40	0	server same client same database same reader same (input i/o) same (output i/o) and access\$4 same authoriz\$6 and characteristic and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:56
S39	1	server same client same database same characteristic and access\$4 same authoriz\$6 and reader same (input i/o) same (output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:55

S38	0	server same client same database same characteristic and access\$4 same authoriz\$6 and reader same input same output same i/o and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:53
S37	0	"713"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader same input same output same i/o and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:42
S35	24	"713"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:41
S34	16	"710"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:39
S36	1	"715"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:38
S33	42	"709"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:38
S32	47	"705"/\$ and server same client same database same characteristic and access\$4 same authoriz\$6 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:38
S31	47	"705"/\$ and server same client same database same characteristic and access\$4 same (role authoriz\$6) and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:38
S30	4	"702"/\$ and server same client same database same characteristic and access\$4 same (role authoriz\$6) and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36
S29	4	"700"/\$ and server same client same database same characteristic and access\$4 same (role authoriz\$6) and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36

S28	79	server same client same database same characteristic and access\$4 same (role authoriz\$6) and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:35
S27	41	server same client same database same characteristic and access\$4 near3 control\$4 same (role authoriz\$6) and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:35
S26	52	server same client same database same characteristic and access\$4 near3 control\$4 and reader and role and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:34
S23	62	server same client same database same characteristic and access\$4 near3 control\$4 and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:34
S25	0	server same client same database same characteristic and access\$4 near3 control\$4 same reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:26
S24	0	server same client same database same characteristic and access\$4 near3 control\$4 and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
S22	0	server same client same database same characteristic and access\$4 near3 control\$4 and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
S21	1	server same client same database same character\$6 and access\$4 near3 control\$4 and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
S20	0	server same client same database same character\$6 and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:24
S19	1	server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:24

S18	0	"340"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S17	0	"715"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S16	0	"713"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S15	0	"710"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S14	0	"700"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S13	0	"709"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S12	0	709/229 and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
S11	0	709/225 and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20



S10	0	709/219 and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
S9	0	709/203 and server same client same database and access\$4 near3 control\$4 and portal and reader and port near3 reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
S8	11	709/203 and server same client same database and access\$4 near3 control\$4 and portal and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
S7	4	"700"/\$ and server same client same database and access\$4 near3 control\$4 and portal and reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
S6	13	"700"/\$ and server same client same database and access\$4 near3 control\$4 and portal and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
S5	3	700/83 and server same client same database and access\$4 near3 control\$4 and portal and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:41
S4	3	700/83 and server same client same database and access\$4 near3 control\$4 and portal and customi\$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:27
S3	27	700/83 and server same client same database and access near3 control\$4 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:26
S2	227	700/83 and access near3 control\$4 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:24
S1	14	700/83 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:24